MANASTERS. PROFESSIONAL

Professional Wood Finishes

VersiVar

MultiLac

Apex

Integra

MultiLac[®] Pre-Catalyzed Lacquer

For use on wood surfaces, kitchen cabinets, office and household furniture, and fine architectural woodwork including trim, windows, and doors. For wood substrates only. For interior use only.

FEATURES

10-10

<0.

- Self-sealing technology
- HAPs compliant
- Meets KCMA and ASTM performance requirements when applied according to manufacturer's specifications

EL)

MultiLac

MultiLac

• Superior performance to standard nitro-cellulose lacquers without having to add catalyst

MultiLac Pre-Catalyzed Lacquer Order Information

Sheen	Gallon	5 Gallon
Flat	20-0121-01	20-0121-05
Dull Satin	20-0122-01	20-0122-05
Satin	20-0123-01	20-0123-05
Semi-Gloss	20-0124-01	20-0124-05
Gloss	20-0125-01	20-0125-05



VersiVar[®] Conversion Varnish

For use on wood surfaces, including high-end finishes such as bars, tabletops, bathroom vanities, cabinets, and high-moisture areas. For interior use only.

FEATURES

- HAPs compliant
- Self-sealing technology eliminates the need for a separate sealer
- Two-component, high-performance water-clear conversion varnish
- Superior resistance to abrasion, staining, household chemicals, and body oils

VersiVar Conversion Varnish Order Information

Sheen	Gallon	5 Gallon
Flat	26-0101-01	26-0101-05
Dull Satin	26-0102-01	26-0102-05
Satin	26-0103-01	26-0103-05
Semi-Gloss	26-0104-01	26-0104-05

26-0106-10 (12.8 oz)

TM

Integra[™] Vinyl Sealer

Catalyst

For use with VersiVar Conversion Varnish and MultiLac Pre-Catalyzed Lacquer.

FEATURES

 Superior performance to standard nitro-cellulose sealers without having to add catalyst



26-0106-02 (64 oz)

Integra Vinyl Sealer Order Information

Sheen	Gallon	5 Gallon
Sealer	25-0101-01	25-0101-05



Apex[®] High Performance Polymer (HPP) Interior Water-Based Clear Finish

For use on wood surfaces, kitchen cabinets, and office and household furniture. This includes bars, tabletops, vanities, and fine architectural woodwork such as trim, windows, and doors. For interior use only.

FEATURES

- Excellent sandability as a self-seal system
- Fast dry and stacking times
- Excellent chemical and wear resistance
- Meets KCMA and ASTM performance requirements when applied according to manufacturer's specifications
- Minimal grain raise





Apex HPP Order Information

Sheen	Gallon	5 Gallon
Flat	10-0101-01	10-0101-05
Satin	10-0103-01	10-0103-05
Semi-Gloss	10-0105-01	10-0105-05
Gloss	10-0106-01	10-0106-05

Apex Hardener

10-0109-25 (5 oz)

40736-OM (68388) 05/23



303 19th Street SE • PO Box 286 • Orange City, IA 51041 (800) 747-3436 • info@myoldmasters.com myoldmasters.com/professional

The technical data and suggestions for use contained in this document are true and correct to the best of our knowledge at the date of issuance. The statements of this document do not constitute a warranty, expressed or implied, as to the performance of these products. Since Old Masters does not control the application of its products or the condition of the surfaces to which they are applied, Old Masters' liability will under no circumstances exceed replacement of the product. All technical information is subject to change without notice.