

SAFETY DATA SHEET

Revision Date 20-Nov-2020

Version 4

1. IDENTIFICATION

Product identifier Product Name

High Solids Polyurethane Satin

Other means of identificationProduct Code48301SKU(s)48301

Recommended use of the chemical and restrictions on useRecommended UseNo information available.Uses advised againstNo information available

Details of the supplier of the safety data sheet Supplier Address Old Masters 303 19th St. SE Orange City, IA 51041 Phone: 712-737-4993 Fax: 712-737-4997

Emergency telephone number Emergency Telephone

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status


This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Dermal	Category 4
Skin sensitization	Category 1
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1B
Reproductive toxicity	Category 2
Aspiration toxicity	Category 1
Flammable liquids	Category 3

Emergency Overview

Danger

Hazard statements Harmful in contact with skin May cause an allergic skin reaction May cause genetic defects May cause cancer Suspected of damaging fertility or the unborn child May be fatal if swallowed and enters airways Flammable liquid and vapor



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Keep container tightly closed Ground/bond container and receiving equipment Use only non-sparking tools Take precautionary measures against static discharge Use explosion-proof electrical/ ventilating/ lighting/ equipment

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention Call a POISON CENTER or doctor/physician if you feel unwell Wash contaminated clothing before reuse If skin irritation or rash occurs: Get medical advice/attention IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

• May be harmful if swallowed

May cause long lasting harmful effects to aquatic life

Unknown acute toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%	Trade Secret
Octamethylcyclotetrasiloxane	556-67-2	15 - 40	*
Mineral Spirits (Rule 66)	64742-47-8	10 - 30	*
Methyl Ethyl Ketoxime	96-29-7	0.1 - 1	*
Aromatic 100	64742-95-6	0.1 - 1	*
Cobalt 2-ethylhexanoate	136-52-7	0.1 - 1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.			
Skin Contact	Wash skin with soap and water.			
Inhalation	Remove to fresh air.			
Ingestion	Clean mouth with water and drink afterwards plenty of water.			
Most important symptoms and effe	cts, both acute and delayed			
Symptoms No information available.				
Indication of any immediate medical attention and special treatment needed				
Note to physicians Treat symptomatically.				
5. FIRE-FIGHTING MEASURES				

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical Flammable.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Remove all sources of ignition. Use personal protective equipment as required.			
Environmental precautions				
Environmental precautions	Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.			
Methods and material for containme	ent and cleaning up_			
Methods for containment Prevent further leakage or spillage if safe to do so.				
Methods for cleaning up Soak up with inert absorbent material.				
7. HANDLING AND STORAGE				

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Advice on safe handling

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).		
Incompatible materials	None known based on information supplied.		
8. EX	POSURE CONTROLS/PERSONAL PROTECTION		
Control parameters			
Exposure Guidelines NIOSH Immediately Dangerous to L	ife or Health		
Other Information	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 96 (11th Cir., 1992).		
Appropriate engineering controls			
Engineering Controls	Showers Eyewash stations Ventilation systems.		
Individual protection measures, su	ch as personal protective equipment		
Eye/face protection	No special technical protective measures are necessary.		
Skin and body protection	No special technical protective measures are necessary.		
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.		
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.		
	9. PHYSICAL AND CHEMICAL PROPERTIES		

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Liquid No information available No information available	Odor Odor threshold	No information available No information available
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity	ValuesNo information availableNo information available>= 110 °C / 230 °F39 °C / 102 °FNo information availableNo information available	<u>Remarks • Method</u>	
Rinematic viscosity			

Dynamic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Other Information	
Softening point	No information available
Molecular weight	No information available
Liquid Density	7.84 lbs/gal
Bulk density	No information available
Percent solids by weight	41.1%
Percent volatile by weight	24.2%
Percent solids by volume	36.4%
Actual VOC (Ibs/gal)	1.9
Actual VOC (grams/liter)	227.7
EPA VOC (Ibs/gal)	2.9
EPA VOC (grams/liter)	346.9
EPA VOC (lb/gal solids)	5.2

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Octamethylcyclotetrasiloxane 556-67-2			= 36 g/m³ (Rat)4 h	
Mineral Spirits (Rule 66) > 5000 mg/kg (Rat) 64742-47-8		> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h	
Methyl Ethyl Ketoxime = 930 mg/kg (Rat) 96-29-7		1000 - 1800 mg/kg (Rabbit)	> 4.83 mg/L (Rat)4 h	
Aromatic 100	= 8400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 3400 ppm (Rat) 4 h	

64742-95-6							
Cobalt 2-ethylhexanoate	= 1300 ma/kg	1300 mg/kg (Rat) > 5000 mg/kg (Rabbit)		> 10 ma/L	> 10 mg/L (Rat)1 h		
136-52-7				· · · · · · · · · · · · · · · · · · ·	(
Symptoms related to the	physical, chemical and	toxicological char	acteris	tics_			
Symptoms	Symptoms No information available.						
Delayed and immediate ef	ffects as well as chronic	c effects from sho	rt and l	<u>ong-term exposure</u>	_		
Sensitization	No information	on available.					
Germ cell mutagenicity	No information	on available.					
Carcinogenicity	No information						
Chemical name	ACGIH	IARC		NTP		OSHA	
Cobalt 2-ethylhexanoate 136-52-7	-	Group 2B		Reasonably Anticipa	ted	Х	
OSHA (Occupational Sat X - Present	as a human carcinogen y Program) Reasonably Anticipated to be fety and Health Administra	tion of the US Depai	tment o	,			
X - Present Reproductive toxicity Repeated inhalation or oral exposure of mice and rats to a trade secret chemical produced an increase in liver size. No gross histopathological or significant clinical chemistry effects were observed. An increase in liver metabolizing enzymes, as well as a transient increase in the number of normal cells (hyperplasia) followed by an increase in cell size (hypertrophy) were determined to be the underlying causes of the liver enlargement. The biochemical mechanisms producing these effects are highly sensitive in rodents, while similar mechanisms in humans are insensitive. Good industrial hygiene practice minimizes inhalation exposure to any chemical. In developmental toxicity studies in which rats and rabbits were exposed to a trade secret chemical by vapor inhalation resulted in decreases in live litter size. Additionally, increases in the incidence of deliveries of offspring extending over an unusually long time period (dystocia) were observed at these concentrations. Statistically significant alterations in these parameters were not observed in the lower concentrations evaluated (300 and 70 ppm). In a previous range-finding study, rats exposed to vapor concentrations of 700 ppm had decreases in the number of implantation sites and live litter size. The significance of these findings to humans is not known.							
STOT - single exposure STOT - repeated exposure Chronic toxicity	Contains a ki	on available.		ictive toxin. See Sec er effects.	tion 11: TOXICO	DLOGICAL	
Target organ effects Aspiration hazard	liver. No informatio						

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

May cause long lasting harmful effects to aquatic life

2.16% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Octamethylcyclotetrasiloxane	-	500: 96 h Brachydanio rerio mg/L	25.2: 24 h Daphnia magna mg/L
556-67-2		LC50 1000: 96 h Lepomis	EC50
		macrochirus mg/L LC50	

Mineral Spirits (Rule 66) 64742-47-8	-	45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus	4720: 96 h Den-dronereides heteropoda mg/L LC50
Methyl Ethyl Ketoxime 96-29-7	83: 72 h Desmodesmus subspicatus mg/L EC50	mykiss mg/L LC50 static 760: 96 h Poecilia reticulata mg/L LC50 static 320 - 1000: 96 h Leuciscus idus mg/L LC50 static 777 - 914: 96 h Pimephales promelas mg/L LC50 flow-through	750: 48 h Daphnia magna mg/L EC50
Aromatic 100 64742-95-6	-	9.22: 96 h Oncorhynchus mykiss mg/L LC50	6.14: 48 h Daphnia magna mg/L EC50

Persistence and degradability No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient
Octamethylcyclotetrasiloxane 556-67-2	5.1
Methyl Ethyl Ketoxime 96-29-7	0.65

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	D001 U055 U165 U220 U239

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste Status
Cobalt 2-ethylhexanoate 136-52-7	Toxic

14. TRANSPORT INFORMATION

DOT	Not regulated
TDG	Not regulated

15. REGULATORY INFORMATION International Inventories **TSCA** Complies

DSL/NDSL

Complies *

* This product contains an unknown chemical, therefore, this product's compliance to the inventory list is NOT DETERMINED

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

No

SARA 311/312 Hazard Categories Acute health hazard Chronic Health Hazard Fire hazard

Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Crystalline Silica - 14808-60-7	Carcinogen
Ethyl Benzene - 100-41-4	Carcinogen
Cumene - 98-82-8	Carcinogen
Naphthalene - 91-20-3	Carcinogen
Toluene - 108-88-3	Developmental

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts
Cobalt 2-ethylhexanoate	Х	-
136-52-7		

U.S. EPA Label Information EPA Pesticide Registration Number Not applicable

Hazardous air pollutants (HAPS) content

This product contains no Hazardous Air Pollutants individually at 1% by weight, or greater.

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

|--|

Health hazards 2

Flammability 2

Physical hazards 0

Instability 0

Physical and chemical properties - Personal protection X

HMIS Health hazards 2 * Flammability 2 Chronic Hazard Star Legend *= Chronic Health Hazard

20-Nov-2020

Revision Note No information available

Disclaimer

Revision Date

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and

shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

End of Safety Data Sheet