

# SAFETY DATA SHEET

Version 6

## **1. IDENTIFICATION**

Product identifier Product Name

Polyurethane Semi-Gloss

Other means of identification Product Code SKU(s)

49505 49501, 49504, 49505, 49508, 49516

Recommended use of the chemical and restrictions on useRecommended UseNo information available.Uses advised againstNo information available

## Details of the supplier of the safety data sheet

## Supplier Address Old Masters

303 19th St. SE Orange City, IA 51041 Phone: 712-737-4993 Fax: 712-737-4997

Emergency telephone number Emergency Telephone

Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

## **Classification**

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization	Category 1
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1B
Aspiration toxicity	Category 1
Flammable liquids	Category 3

**Emergency Overview** 

## Danger

## Hazard statements

May cause an allergic skin reaction May cause genetic defects May cause cancer May be fatal if swallowed and enters airways Flammable liguid and vapor



#### Appearance No information available

#### Physical state Liquid

Odor No information available

## **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Keep container tightly closed Ground/bond container and receiving equipment Use only non-sparking tools Take precautionary measures against static discharge Use explosion-proof electrical/ ventilating/ lighting/ equipment

## Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting In case of fire: Use CO2, dry chemical, or foam for extinction

#### **Precautionary Statements - Storage**

Store locked up Store in a well-ventilated place. Keep cool

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

#### Other Information

- May be harmful in contact with skin
- · Harmful to aquatic life with long lasting effects

· Harmful to aquatic life

- Unknown acute toxicity
- 46.9% of the mixture consists of ingredient(s) of unknown toxicity

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS No	Weight-%	Trade Secret
Stoddard Solvent	8052-41-3	15 - 40	*
Solvent Naphtha, Medium Aliphatic	64742-88-7	10 - 30	*
Cobalt 2-ethylhexanoate	136-52-7	0.1 - 1	*
Methyl Ethyl Ketoxime	96-29-7	0.1 - 1	*
Aromatic 100	64742-95-6	0.1 - 1	*
Aromatic 150	64742-94-5	0.1 - 1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

## Description of first aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin Contact	Wash skin with soap and water.
Inhalation	Remove to fresh air.

#### Ingestion

Clean mouth with water and drink afterwards plenty of water.

#### Most important symptoms and effects, both acute and delayed

Symptoms No information available.

#### Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

## **5. FIRE-FIGHTING MEASURES**

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

## Specific hazards arising from the chemical

Flammable.

# Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective e	quipment and emergency procedures	
Personal precautions	Remove all sources of ignition. Use personal protective equipment as required.	
Environmental precautions		
Environmental precautions	Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.	
Methods and material for containm	ent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Soak up with inert absorbent material.	
7. HANDLING AND STORAGE		

## Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

## Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

Incompatible materials None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

## Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Stoddard Solvent	TWA: 100 ppm	TWA: 500 ppm	IDLH: 20000 mg/m <sup>3</sup>
8052-41-3		TWA: 2900 mg/m <sup>3</sup>	Ceiling: 1800 mg/m <sup>3</sup> 15 min
		(vacated) TWA: 100 ppm	TWA: 350 mg/m <sup>3</sup>
		(vacated) TWA: 525 mg/m <sup>3</sup>	
NIOSH IDLH Immediately Danger	ous to Life or Health		
Other Information	Vacated limits revoked by	the Court of Appeals decision in	AFL-CIO v. OSHA, 965 F.2d 962
	(11th Cir., 1992).		
Appropriate engineering control	s		
	<u> </u>		
Engineering Controls	Showers Eyewash stations		
5 5			
	Ventilation systems.		
	Ventilation systems.		
	Ventilation systems.		
Individual protection measures,	-	equipment	
Individual protection measures, Eye/face protection	such as personal protective e	<b>equipment</b> ctive measures are necessary.	
Eye/face protection	such as personal protective e	ctive measures are necessary.	
-	such as personal protective e		
Eye/face protection Skin and body protection	such as personal protective of No special technical protective of No special technical protection	ctive measures are necessary. ctive measures are necessary.	NIOSH/MSHA approved
Eye/face protection	such as personal protective of No special technical protective No special technical protection If exposure limits are exce	ctive measures are necessary. ctive measures are necessary. eded or irritation is experienced,	
Eye/face protection Skin and body protection	such as personal protective of No special technical protective No special technical protection If exposure limits are excet respiratory protection should	ctive measures are necessary. ctive measures are necessary. eded or irritation is experienced, Ild be worn. Positive-pressure su	pplied air respirators may be
Eye/face protection Skin and body protection	such as personal protective of No special technical protective No special technical protection If exposure limits are excet respiratory protection shout required for high airborne of	ctive measures are necessary. ctive measures are necessary. eded or irritation is experienced, uld be worn. Positive-pressure su contaminant concentrations. Res	pplied air respirators may be
Eye/face protection Skin and body protection	such as personal protective of No special technical protective No special technical protection If exposure limits are excet respiratory protection shout required for high airborne of	ctive measures are necessary. ctive measures are necessary. eded or irritation is experienced, Ild be worn. Positive-pressure su	pplied air respirators may be
Eye/face protection Skin and body protection	such as personal protective of No special technical protective No special technical protection If exposure limits are exce respiratory protection shour required for high airborne of provided in accordance with	ctive measures are necessary. ctive measures are necessary. eded or irritation is experienced, uld be worn. Positive-pressure su contaminant concentrations. Res	pplied air respirators may be piratory protection must be

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state	Liquid		
Appearance	No information available	Odor	No information available
Color	No information available	Odor threshold	No information available
Property_	Values	Remarks • Method	
Hq	No information available		
Melting point / freezing point	No information available		
Boiling point / boiling range	>= 107 °C / 225 °F		
Flash point	39 °C / 102 °F		
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	No information available		
Vapor density	No information available		
Specific Gravity	0.89		
Water solubility	No information available		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature	No information available		
Decomposition temperature	No information available		
Kinematic viscosity	No information available		
Dynamic viscosity	No information available		
Explosive properties	No information available		
Oxidizing properties	No information available		
Other Information			

Softening point	No information available
Molecular weight	No information available
Liquid Density	7.43 lbs/gal
Bulk density	No information available
Percent solids by weight	50.0%
Percent volatile by weight	50.0%
Percent solids by volume	42.8%
Actual VOC (Ibs/gal)	3.7
Actual VOC (grams/liter)	445.6
EPA VOC (lbs/gal)	3.7
EPA VOC (grams/liter)	445.6
EPA VOC (lb/gal solids)	8.7

# **10. STABILITY AND REACTIVITY**

## Reactivity

No data available

## Chemical stability

Stable under recommended storage conditions.

## Possibility of hazardous reactions

None under normal processing.

## Conditions to avoid

Extremes of temperature and direct sunlight.

#### Incompatible materials

None known based on information supplied.

## Hazardous decomposition products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.

#### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Stoddard Solvent 8052-41-3	> 5000 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
Solvent Naphtha, Medium Aliphatic 64742-88-7	> 25 mL/kg (Rat)	> 3000 mg/kg (Rabbit)	> 13 mg/L (Rat)4 h
Cobalt 2-ethylhexanoate 136-52-7	= 1300 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 10 mg/L (Rat)1 h
Methyl Ethyl Ketoxime 96-29-7	= 930 mg/kg(Rat)	1000 - 1800 mg/kg (Rabbit)	> 4800 mg/m³(Rat)4 h
Aromatic 100 64742-95-6	= 8400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 3400 ppm (Rat)4 h
Aromatic 150 64742-94-5	> 5000 mg/kg (Rat)	> 2 mL/kg (Rabbit)	> 590 mg/m³(Rat)4 h

## Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information	n available.		
Germ cell mutagenicity	No information available.			
Carcinogenicity	No information	n available.		
Chemical name	ACGIH	IARC	NTP	OSHA
Cobalt 2-ethylhexanoate	-	Group 2B	Reasonably Anticipated	Х
136-52-7				
IARC (International Age	ency for Research on Cancer	)		
Group 2B - Possibly Care	cinogenic to Humans			
Group 3 - Not classifiable	e as a human carcinogen			
NTP (National Toxicolo				
Reasonably Anticipated -	<ul> <li>Reasonably Anticipated to be</li> </ul>	a Human Carcinogen		
OSHA (Occupational Sa	afety and Health Administrat	ion of the US Departmen	t of Labor)	
X - Present				
Reproductive toxicity	No information	n available.		
STOT - single exposure	No information	n available.		
STOT - repeated exposu				
Target organ effects			y, Respiratory system, Skin.	
Aspiration hazard	No information			
Aspiration nazaru	NO INOTTALIO			

## Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document mg/kg

## **12. ECOLOGICAL INFORMATION**

This product contains a chemical which is listed as a marine pollutant according to DOT.

## **Ecotoxicity**

Harmful to aquatic life with long lasting effects

80.64% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Solvent Naphtha, Medium Aliphatic	450: 96 h Pseudokirchneriella	800: 96 h Pimephales promelas	100: 48 h Daphnia magna mg/L
64742-88-7	subcapitata mg/L EC50	mg/L LC50 static	EC50
Methyl Ethyl Ketoxime	83: 72 h Desmodesmus subspicatus	777 - 914: 96 h Pimephales	750: 48 h Daphnia magna mg/L
96-29-7	mg/L EC50	promelas mg/L LC50 flow-through	EC50
		760: 96 h Poecilia reticulata mg/L	
		LC50 static 320 - 1000: 96 h	
		Leuciscus idus mg/L LC50 static	
Aromatic 100	-	9.22: 96 h Oncorhynchus mykiss	6.14: 48 h Daphnia magna mg/L
64742-95-6		mg/L LC50	EC50
Aromatic 150	2.5: 72 h Skeletonema costatum	19: 96 h Pimephales promelas mg/L	0.95: 48 h Daphnia magna mg/L
64742-94-5	mg/L EC50	LC50 static 2.34: 96 h	EC50
		Oncorhynchus mykiss mg/L LC50	
		45: 96 h Pimephales promelas mg/L	
		LC50 flow-through 1740: 96 h	
		Lepomis macrochirus mg/L LC50	
		static 41: 96 h Pimephales promelas	
		mg/L LC50	

## Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Chemical name	Partition coefficient
---------------	-----------------------

Methyl Ethyl Ketoxime 96-29-7	0.65
Aromatic 150	6.1
64742-94-5	

Other adverse effects

No information available

## **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	D001 U239 U012 U140 U165

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste Status
Cobalt 2-ethylhexanoate	Toxic
136-52-7	

# 14. TRANSPORT INFORMATION

DOT Marine pollutant Not regulated This product contains a chemical which is listed as a marine pollutant according to DOT.

<u>TDG</u>

Not regulated

	15. REGULATORY INFORMATION
International Inventories	
TSCA	Complies
DSL/NDSL	Complies *
EINECS/ELINCS	Does not comply *
ENCS	Does not comply *
IECSC	Complies *
KECL	Complies *
PICCS	Complies *
AICS	Complies *

\* This product contains an unknown chemical, therefore, this product's compliance to the inventory list is NOT DETERMINED

## Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS Australian Inventory of Chemical Substances

AICS - Australian Inventory of Chemical Substances

Physical and chemical

Personal protection X

properties -

## US Federal Regulations

## <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

## US State Regulations

## **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Ethyl Benzene - 100-41-4	Carcinogen
Methyl Styrene - 98-83-9	Carcinogen
Naphthalene - 91-20-3	Carcinogen
Aniline - 62-53-3	Carcinogen

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts
Stoddard Solvent	X	Х
8052-41-3		
Cobalt 2-ethylhexanoate	X	-
136-52-7		
Xylene	X	Х
1330-20-7		

Chemical name	Pennsylvania
Stoddard Solvent	Х
8052-41-3	

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

## Hazardous air pollutants (HAPS) content

This product contains no Hazardous Air Pollutants individually at 1% by weight, or greater.

Health hazards 2

Health hazards 2\*

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Instability 0

Physical hazards 0

Flammability 2

Flammability 2

NFPA	_
	-

HMIS Heal Chronic Hazard Star Legend

16-Aug-2019

\* = Chronic Health Hazard

Revision Date Revision Note

No information available

<u>Disclaimer</u>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The

manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.