

SAFETY DATA SHEET

Version 4

1. IDENTIFICATION

Product identifier **Product Name**

Water-Based Stain Golden Oak

Other means of identification **Product Code** SKU(s)

77104 77101, 77104, 77105, 77116

Recommended use of the chemical and restrictions on use **Recommended Use** No information available. Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Address Old Masters 303 19th St. SE Orange City, IA 51041 Phone: 712-737-4993 Fax: 712-737-4997

Emergency telephone number **Emergency Telephone**

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity		Category 1A	
	Emergency Overview		
Danger			
Hazard statements May cause cancer			
Appearance No information available	Physical state Liquid	Odor No information available	
Precautionary Statements - Prevention			

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

Unknown acute toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%	Trade Secret	
Diethylene Glycol Butyl Ether	112-34-5	1 - 5	*	
Crystalline Silica	14808-60-7	0.1 - 1	*	
*The event nerror term (concentration) of composition has been withheld as a trade accurat				

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES Description of first aid measures If symptoms persist, call a physician. **General advice** Immediately flush with plenty of water. After initial flushing, remove any contact lenses and Eye contact continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician. Skin Contact Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician. Inhalation Immediate medical attention is not required. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of vapors or decomposition products. Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician. Do NOT induce vomiting. Self-protection of the first aider Use personal protective equipment as required. Most important symptoms and effects, both acute and delayed No information available. Symptoms Indication of any immediate medical attention and special treatment needed Note to physicians Treat symptomatically. **5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media

Use. Dry chemical. Carbon dioxide (CO2). Water spray (fog). Alcohol resistant foam.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges.
Environmental precautions	
Environmental precautions	Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological Information.
Methods and material for containm	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Dam up. Use personal protective equipment as required. Cover liquid spill with sand, earth

thods for cleaning up Dam up. Use personal protective equipment as required. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Take precautionary measures against static discharges.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use with local exhaust ventilation. All equipment used when handling the product must be grounded. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric
motors and static electricity). Keep containers tightly closed in a cool, well-ventilated place.
Keep away from heat. Keep in properly labeled containers.

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Incompatible materials

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Diethylene Glycol Butyl Ether	TWA: 10 ppm inhalable fraction	-	-	
112-34-5	and vapor			
Crystalline Silica	TWA: 0.025 mg/m ³ respirable	TWA: 50 μg/m³ TWA: 50 μg/m³	IDLH: 50 mg/m ³ respirable dust	
14808-60-7	particulate matter	excludes construction work,	TWA: 0.05 mg/m ³ respirable dust	
		agricultural operations, and		
		exposures that result from the		
		processing of sorptive clays		
		(vacated) TWA: 0.1 mg/m ³		

	respirable dust : (250)/(%SiO2 + 5) mppcf TWA respirable fraction : (10)/(%SiO2 + 2) mg/m ³ TWA respirable fraction	
--	--	--

NIOSH IDLH Immediately Dangerous to Life or Health

Other InformationVacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962
(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	No special technical protective measures are necessary.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Liquid No information available No information available	Odor Odor threshold	No information available No information available
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Explosive properties Oxidizing properties	Values9-10No information available>= 100 °C / 212 °F> 94 °C / > 201 °FNo information availableNo information available	<u>Remarks • Method</u>	

Other Information

Softening point	No information available
Molecular weight	No information available
Liquid Density	8.56 lbs/gal
Bulk density	No information available
Percent solids by weight	11.8%
Percent volatile by weight	2.7%
Percent solids by volume	9.2%
Actual VOC (lbs/gal)	0.2
Actual VOC (grams/liter)	28.2
EPA VOC (lbs/gal)	2
EPA VOC (grams/liter)	234.2
EPA VOC (lb/gal solids)	2.6

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Diethylene Glycol Butyl Ether	= 5660 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	-
112-34-5			
Crystalline Silica	> 22,500 mg/kg (Rat)	-	-
14808-60-7			

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Germ cell mutagenicity	No information available.

Carcinogenicity	No informatio	n available.		
Chemical name	ACGIH	IARC	NTP	OSHA
Crystalline Silica	A2	Group 1	Known	Х
14808-60-7		-		
ACGIH (American Conf	erence of Governmental Ind	ustrial Hygienists)		
A2 - Suspected Human C	Carcinogen			
IARC (International Age	ency for Research on Cance	r)		
Group 1 - Carcinogenic to	o Humans			
NTP (National Toxicolo	gy Program)			
Known - Known Carcinog	gen			
OSHA (Occupational Sa	afety and Health Administra	tion of the US Department o	f Labor)	
X - Present				
Reproductive toxicity	No informatio	n available.		
STOT - single exposure	No information available.			
STOT - repeated exposu	re No informatio	n available.		
Aspiration hazard	No informatio			
Aspiration nazaru				

Numerical measures of toxicity - Product Information

12. ECOLOGICAL INFORMATION

Ecotoxicity

2.37% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Diethylene Glycol Butyl Ether	100: 96 h Desmodesmus	1300: 96 h Lepomis macrochirus	100: 48 h Daphnia magna mg/L
112-34-5	subspicatus mg/L EC50	mg/L LC50 static	EC50 2850: 24 h Daphnia magna
			mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

 Disposal of wastes
 Disposal should be in accordance with applicable regional, national and local laws and regulations.

 Contaminated packaging
 Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT	Not regulated
TDG	Not regulated

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies *
EINECS/ELINCS	Does not comply *
ENCS	Does not comply *
IECSC	Complies *
KECL	Complies *
PICCS	Complies *
AICS	Complies *

* This product contains an unknown chemical, therefore, this product's compliance to the inventory list is NOT DETERMINED

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Diethylene Glycol Butyl Ether	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Crystalline Silica - 14808-60-7	Carcinogen
Titanium dioxide - 13463-67-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts
Diethylene Glycol Butyl Ether	X	-
112-34-5		
Propylene Glycol	X	-
57-55-6		
Crystalline Silica	Х	Х
14808-60-7		

Chemical name	Pennsylvania
Diethylene Glycol Butyl Ether	Х
112-34-5	
Propylene Glycol	X

57-55-6	

U.S. EPA Label Information EPA Pesticide Registration Number Not applicable

Hazardous air pollutants (HAPS) content

LIST OF HAZARDOUS AIR POLLUTANTS SUBJECT TO THE PROVISIONS OF THE CLEAN AIR ACT, TITLE I SECTION 112 'National Emission Standards for Hazardous Air Pollutants' (present individually at 1% by weight, or greater):

Chemical name	Weight % of HAPS in Product	Pounds HAPS / Gal Product
Diethylene Glycol Butyl Ether	1.45%	0.12
112-34-5		

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards 1	Flammability 1	Instability 0	Physical and chemical properties -
HMIS	Health hazards 1 *	Flammability 1	Physical hazards 0	Personal protection X
Chronic Hazard Star L	egend *=Chroni	c Health Hazard		

14-Dec-2017

Revision Date

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

End of Safety Data Sheet